

Syngenta Crop Protection, Inc.
Post Office Box 18300
Greensboro, NC 27419

In Case of Emergency, Call
1-800-888-8372

1. PRODUCT IDENTIFICATION

Product Name: **SCHOLAR** Product No.: A7850D
 EPA Signal Word: Caution
 Active Ingredient(%): Fludioxonil (50.0%) CAS No.: 131341-86-1
 Chemical Name: 4-(2,2-difluoro-1,3-benzodioxol-4-yl)-1H-pyrrole-3-carbonitrile
 Chemical Class: Substituted Benzodioxalcarbonitrile Fungicide
 EPA Registration Number(s): 100-969 **Section(s) Revised: 2, 8**

2. COMPOSITION/INFORMATION ON INGREDIENTS

Material	OSHA PEL	ACGIH TLV	Other	NTP/IARC/OSHA Carcinogen
Crystalline Silica, Quartz	10 mg/m ³ /(%SiO ₂ +2) (respirable dust)	0.05 mg/m ³ (respirable silica)	0.05 mg/m ³ (respirable dust)**	IARC Group 2A
Sodium Sulfate	Not Established	Not Established	Not Established	No
Talc	20 mppcf (containing <1% quartz) TWA	2 mg/m ³ (respirable; <1% crystalline silica) TWA	2 mg/m ³ (respirable) TWA	IARC Group 3
Fludioxonil (50.0%)	Not Established	Not Established	10 mg/m ³ TWA***	No

** recommended by NIOSH

*** Syngenta Occupational Exposure Limit (OEL)

Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications.
 Syngenta Hazard Category: B, S

3. HAZARDS IDENTIFICATION
Symptoms of Acute Exposure

Causes mild eye and skin irritation.

Hazardous Decomposition Products

Can decompose at high temperatures forming toxic gases.

Physical Properties

Appearance: Off-white powder

Odor: Sweet, soap-like

Unusual Fire, Explosion and Reactivity Hazards

During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.

4. FIRST AID MEASURES

Have the product container, label or Material Safety Data Sheet with you when calling Syngenta (800-888-8372), a poison control center or doctor, or going for treatment.

Ingestion: If swallowed: Call Syngenta (800-888-8372), a poison control center or doctor immediately for treatment

advice. Have the person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so after calling 800-888-8372 or by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Eye Contact: If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing eye. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.

Skin Contact: If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.

Inhalation: If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call Syngenta (800-888-8372), a poison control center or doctor for further treatment advice.

Notes to Physician

There is no specific antidote if this product is ingested.

Treat symptomatically.

Medical Condition Likely to be Aggravated by Exposure

None known.

5. FIRE FIGHTING MEASURES

Fire and Explosion

Flash Point (Test Method): Not Applicable

Flammable Limits (% in Air): Lower: % Not Applicable Upper: % Not Applicable

Autoignition Temperature: Not Applicable

Flammability: Not Flammable

Unusual Fire, Explosion and Reactivity Hazards

During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.

In Case of Fire

Use dry chemical, foam or CO2 extinguishing media. Wear full protective clothing and self-contained breathing apparatus. Evacuate nonessential personnel from the area to prevent human exposure to fire, smoke, fumes or products of combustion. Prevent use of contaminated buildings, area, and equipment until decontaminated. Water runoff can cause environmental damage. If water is used to fight fire, dike and collect runoff.

6. ACCIDENTAL RELEASE MEASURES

In Case of Spill or Leak

Control the spill at its source. Contain the spill to prevent from spreading or contaminating soil or from entering sewage and drainage systems or any body of water. Clean up spills immediately, observing precautions outlined in Section 8. Sweep up material and place in a compatible disposal container. Scrub area with hard water detergent (e.g. commercial products such as Tide, Joy, Spic and Span). Pick up wash liquid with additional absorbent and place into compatible disposal container. Once all material is cleaned up and placed in a disposal container, seal container and arrange for disposition.

7. HANDLING AND STORAGE

Store the material in a well-ventilated, secure area out of reach of children and domestic animals. Do not store food, beverages or tobacco products in the storage area. Prevent eating, drinking, tobacco use, and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION, PACKAGING AND USE OF THIS PRODUCT.

FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Ingestion: Prevent eating, drinking, tobacco usage and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

Eye Contact: Where eye contact is likely, use chemical splash goggles.
Skin Contact: Where contact is likely, wear chemical-resistant (such as nitrile or butyl) gloves, coveralls, socks and chemical-resistant footwear. For overhead exposure, wear chemical-resistant headgear.
Inhalation: A respirator is not normally required when handling this substance. Use effective engineering controls to comply with occupational exposure limits.

In case of emergency spills, use a NIOSH approved respirator with any N, R, or P or HE filter.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Off-white powder
Odor: Sweet, soap-like
Melting Point: 392°F
Boiling Point: Not Applicable
Specific Gravity/Density: 0.37 g/cm³
pH: 8 - 9 (1% solution in H₂O @ 77°F (25°C))

Solubility in H₂O

Fludioxonil: 1.8 mg/l @ 77°F (25°C)

Vapor Pressure

Fludioxonil: 2.9 x 10⁽⁻⁹⁾ mmHg @ 77°F (25°C)

10. STABILITY AND REACTIVITY

Stability: Stable under normal use and storage conditions.
Hazardous Polymerization: Will not occur.
Conditions to Avoid: None known.
Materials to Avoid: None known.
Hazardous Decomposition Products: Can decompose at high temperatures forming toxic gases.

11. TOXICOLOGICAL INFORMATION

Acute Toxicity/Irritation Studies (Finished Product)

Ingestion: Practically Non-Toxic
Oral (LD50 Rat) : > 5,050 mg/kg body weight
Dermal: Slightly Toxic
Dermal (LD50 Rabbit) : > 2,020 mg/kg body weight
Inhalation: Practically Non-Toxic
Inhalation (LC50 Rat) : > 6.5 mg/l air - 4 hours
Eye Contact: Slightly Irritating (Rabbit)
Skin Contact: Slightly Irritating (Rabbit)
Skin Sensitization: Not a Sensitizer (Guinea Pig)

Reproductive/Developmental Effects

Fludioxonil: Delayed development at doses causing maternal toxicity.

Chronic/Subchronic Toxicity Studies

Fludioxonil: Liver and kidney toxicity at high dose levels.

Carcinogenicity

Fludioxonil: Marginal increase (7%) of liver tumors (female, rats: 3,000 ppm); Within historical control range (1 to 10%).

Other Toxicity Information

None

Toxicity of Other Components

Crystalline Silica, Quartz

Chronic inhalation exposure to crystalline silica is known to cause silicosis and pulmonary fibrosis in humans. Experimental animals exposed to crystalline silica developed respiratory tract cancers.

Sodium Sulfate

Exposure may cause irritation of the nose, throat and lungs. Repeated or prolonged contact to the skin results in dermatitis. May cause mild irritation to the eyes.

Talc

Limited potential for respiratory disease.

Target Organs

Active Ingredients

Fludioxonil: Liver, kidney

Inert Ingredients

Crystalline Silica, Quartz: Respiratory tract

Sodium Sulfate: Respiratory tract, skin, eye

Talc: Respiratory tract

12. ECOLOGICAL INFORMATION

Summary of Effects

Fludioxonil:

Practically nontoxic to birds and bees, but highly toxic to aquatic invertebrates and fish.

Eco-Acute Toxicity

Fludioxonil:

Bees LC50/EC50 > 25 ug/bee

Invertebrates (Water Flea) LC50/EC50 0.90 ppm

Fish (Trout) LC50/EC50 0.47 ppm

Fish (Bluegill) LC50/EC50 0.74 ppm

Birds (8-day dietary - Bobwhite Quail) LC50/EC50 > 5,200 ppm

Birds (8-day dietary - Mallard Duck) LC50/EC50 > 5,200 ppm

Eco-Chronic Toxicity

Fludioxonil:

Fish (Fathead minnow) Early Life Stage MATC 0.028 mg/l

Invertebrate (Daphnia Magna) Life Cycle MATC 0.025 mg/l

Mallard Reproduction NOEC 700 ppm

Bobwhite Reproduction NOEC 125 ppm

Environmental Fate

Fludioxonil:

The information presented here is for the active ingredient, fludioxonil.

Does not bioaccumulate. Persistent in soil. Stable in water. Low mobility in soil. Sinks in water (after 24 h).

13. DISPOSAL CONSIDERATIONS

Disposal

Do not reuse product containers. Dispose of product containers, waste containers, and residues according to local, state, and federal health and environmental regulations.

Characteristic Waste: Not Applicable

Listed Waste: Not Applicable

14. TRANSPORT INFORMATION

DOT Classification

Ground Transport - NAFTA
Not regulated.

B/L Freight Classification

Fungicides, NOIBN, O/T Poison

Comments

Water Transport - International
Proper Shipping Name: Environmentally Hazardous Substance, Solid, N.O.S. (Fludioxonil), Marine Pollutant
Hazard Class or Division: Class 9
Identification Number: UN 3077
Packing Group: PG III

Do not ship by air.

15. REGULATORY INFORMATION

EPCRA SARA Title III Classification

Section 311/312 Hazard Classes: Acute Health Hazard

Section 313 Toxic Chemicals: Not Applicable

California Proposition 65

Not Applicable

CERCLA/SARA 302 Reportable Quantity (RQ)

None

RCRA Hazardous Waste Classification (40 CFR 261)

Not Applicable

TSCA Status

Exempt from TSCA, subject to FIFRA

16. OTHER INFORMATION

<u>NFPA Hazard Ratings</u>		<u>HMIS Hazard Ratings</u>		
Health:	1	Health:	1	0 Minimal
Flammability:	1	Flammability:	1	1 Slight
Instability:	0	Reactivity:	0	2 Moderate
				3 Serious
				4 Extreme

For non-emergency questions about this product call:

1-800-334-9481

Original Issued Date: 03/24/1999

Revision Date: 10/22/2004

Replaces: 03/30/2004

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein.

RSVP# : SCP-955-00288E

End of MSDS