

DECCO, CEREXAGRI INC. 1713 S. California Ave. Monrovia, CA Tel. 626-359-8240, Fax 626-303-0542

PRODUCT DATA SHEET

Peraclean® 5%*

Active Ingredients: Hydrogen Peroxide 26.5% Peroxyacetic Acid 4.9%

EPA Reg. No. 54289-3

STRONG OXIDIZING AGENT. Corrosive. Mix only with water. Product must be diluted in accordance with label directions prior to use.

DIRECTIONS FOR USE

Before Using This Product, Please Read The Entire Label Carefully

SANITIZATION:

Peraclean® 5% peroxyacetic acid sanitizer is recommended for use on precleaned surfaces. Sanitize with a concentration of 1.0 ounce Peraclean® 5% dissolved in 5 gallons of water (0.16% v/v concentration).

HARD SURFACE DISINFECTION:

Peraclean® 5% disinfects as it cleans in one operation. Peraclean® 5% can be used to disinfect floors, walls and other hard nonporous surfaces such as tables, chairs, countertops, bathroom fixtures, sinks, bed frames, shelves, racks, carts, refrigerators, coolers, tile, linoleum, vinyl, asphalt, porcelain, plastic (such as polypropylene and polyethylene), stainless steel, or glass.

Treatment of Raw Fruit and Vegetable

- 1. Prepare treating solution by diluting 3 to 3.5 fl. oz. per 16 gallons of potable water. This will provide 88 to 100 ppm of peroxyacetic acid.
- 2. Apply the diluted sanitizer solution using a spray directed at the fruits or vegetables, or by soaking the fruits or vegetables in the solution. Allow a contact time of at least 45 seconds.
- 3. The treated produce can be drain dried without a potable water rinse.
- 4. Do not reuse solution after treatment.

For Sanitizing of Hatching Eggs

Prepare a solution by diluting 1.0 ounce Peraclean® 5% with 5 gallons of water. As eggs are gathered or prior to setting, apply solution as a coarse spray so as to lightly wet all shell surfaces.

*) Manufactured by Degussa Corporation, 379 Interpace Parkway, P.O. Box 677, Parsippany, New Jersey 07054-0677.

Distributed by Decco

