

DECCOZIL® EC-289

22.2% emulsifiable concentrate of fungicide Imazalil FOR CONTROL OF PENICILLIUM MOLDS ON CITRUS

ACTIVE INGREDIENT:

Imazalil, 1-2-(2,4-dichlorophenyl)-2-(2-propenylo	xy)-ethyl-
1H-imidazole	22.2%
OTHER INGREDIENTS	<u>77.8%</u>
TOTAL	100%
2 lbs a.i. per gallon	

EPA REG. NO: 2792-51 EPA EST. NO. 2792-CA-1

NET CONTENTS: 1 GALLON

KEEP OUT OF REACH OF CHILDREN

CAUTION

FIRST AID	
IF	Call a poison control center or
SWALLOWED:	doctor immediately for treatment
	advice. Have person sip a glass of
	water if able to swallow. Do not
	induce vomiting unless told to do
	so by a poison control center or
	doctor. Do not give anything to an
	unconscious person.
IF ON SKIN	Take off contaminated clothing.
OR	Rinse skin immediately with
CLOTHING:	plenty of water for 15-20 minutes.
	Call a poison control center or
	doctor for treatment advice.
IF IN EYES:	Hold eye open and rinse slowly
	and gently with water for 15-20
	minutes. Remove contact lenses, if
	present, after the first 5 minutes,
	then continue rinsing eye. Call a
	poison control center or doctor for
	treatment advice.
Have the product con	tainer or label with you when calling a

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-424-9300 for emergency medical treatment information.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Harmful if absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Wear long-sleeved shirt and long pants, socks, shoes, and chemical-resistant gloves (such as Barrier Laminate, Butyl Rubber ≥14 mils. Nitrile Rubber ≥14 mils, Neoprene Rubber ≥14 mils, Polyvinyl chloride >14 mils and Viton >14 mils).

PERSONAL PROTECTIVE EQUIPMENT (PPE):

All mixers, loaders, applicators, and other handlers must wear:

- Long-sleeved shirt and long pants
- Shoes plus socks
- Chemical resistant gloves, except for truck drivers, and sorters.
- Chemical resistant apron when mixing/loading, cleaning up spills, cleaning

equipment, or otherwise exposed to the concentrate.

Some materials that are chemical-resistant to this product are natural rubber, PVC, and polyethylene. If you want more options, follow the instruction for Category A on an EPA chemical-resistance category selection chart.

USER SAFETY REQUIREMENTS:

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS:

- 1. User should wash hands before eating, drinking, chewing gum, using before, or using the toilet.
- 2. User should remove clothing / PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- 3. User should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This chemical is toxic to fish. Do not apply directly to water, to areas where surface water is present or to inertial area below the mean high water mark. Runoff from the treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when cleaning equipment or disposing of equipment wash waters or insade. Apply this product only as specified on the label.

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

DIRECTIONS FOR USE:

NOTICE TO USER: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

GENERAL PRECAUTIONS AND RESTRICTIONS:

Do not apply this product in a way that will contact workers or other persons. Only protected handlers may be in the area during application.

Application Restrictions for Citrus Drench:

Do not enter or allow others to enter the treatment area until the citrus is treated and completely drained. The windows and doors of the transport vehicle must be closed prior to and during treatment.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store in a cool dry place.

PESTICIDE DISPOSAL: Pesticide, or spray mixture, or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, State-or-local procedures.

In case of spill or leak, cover spill or leak with sand, vermiculite or similar absorbent; sweep up and dispose of pesticidal mix as indicated above. Flush and clean spill areas with water.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available.

Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

Application

In dips and wash tanks: Dilute with water at rate of 1 part of Deccozil with 440 parts of water to give a treating concentration of 500 ppm Imazalil. Length of dip time should not exceed 2 minutes.

In pallet bin drencher: Dilute 1 part of Deccozil with 294 parts of water to give a treating concentration of 750 ppm Imazalil.

In non-recovery spray: Dilute 1 part of Deccozil with 220 parts of water to give a treating concentration of 1000 ppm Imazalil. Apply to freshly cleaned citrus.

In citrus packout wax: Dilute 1 part of Deccozil with 110 parts of citrus packout wax (2000 ppm Imazalil). Use without further dilution in conventional waxing equipment.

In citrus storage wax: Dilute 1 part of Deccozil with 110 parts of citrus storage wax, already diluted for use, and apply in conventional waxing equipment. This will give a treating concentration of 2000 ppm Imazalil.

Direction for use continues on next panel.

DIRECTIONS FOR USE (Continued)

NOTE 1 - Combinations of above listed applications can be made, but never more than two treatments can be carried out on the same lot of citrus.

NOTE 2 - For waxes, sporulation control can be obtained at 4000 ppm active ingredient. Dilute 1 part of Deccozil with 55 parts of citrus wax to obtain this concentration. When this dilution is used, combinations of treatment are not allowed

WARRANTY AND DISCLAIMER

DECCO US POST-HARVEST INC. warrants that this material conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for Use, subject to the risks referred to therein. DECCO US POST-HARVEST INC. MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY. TO THE EXTENT ALLOWED BY APPLICABLE LAW, IN NO CASE SHALL DECCO US POST-HARVEST INC. OR SELLER BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT INCLUDING, BUT NOT LIMITED TO, LOSS OF PROFITS, BUSINESS REPUTATION, OR CUSTOMERS; LABOR COST, OR OTHER EXPENSES INCURRED IN REPACKAGING, SORTING-OR REPROCESSING.

DECCO US POST-HARVEST INC. and seller offer this product and the buyer and user accept it subject to the foregoing conditions of sale and warranty which may be varied only by agreement in writing signed by a duly authorized representative of DECCO US POST-HARVEST INC.

DECCO US POST-HARVEST INC. 1713 S. California Ave. Monrovia, CA 91016-0120

Revise 9/21/09